



# খুলনা শিপইয়ার্ড লিমিটেড

বাংলাদেশ নৌ বাহিনী, খুলনা।

ফোনঃ ০৪১-৭২০০০৩/৮১৩৯৭৫, ফ্যাক্সঃ ৮৮-০৪১-৭২০৪০৪,

Website: [www.khulnashipyard.com](http://www.khulnashipyard.com), E-mail: [dgml.ksy@gmail.com](mailto:dgml.ksy@gmail.com)

.....  
.....  
.....

টেন্ডার নং বাবি-২২/৪৩/২৩-২৪

তারিখঃ ২৪/০৮/২০২৩


খোলার তারিখঃ ৩১/০৮/২০২৩

বেলাঃ ১১-৩০ ঘটিকা

প্রিয় মহোদয়গণ,

নিম্নলিখিত দ্রব্যাদি খুলনা শিপইয়ার্ডে সরবরাহ করার জন্য আপনাদের কাছ থেকে সর্বনিম্ন মূল্য তালিকা আহবান করা যাচ্ছে।  
আপনাদের মূল্য তালিকা অবশ্যই অপর পৃষ্ঠায় বর্ণিত আমাদের শর্তাবলী অনুযায়ী হতে হবে।

আপনাদের বিশ্বস্ত

  
এম এম খায়রুল আলম  
উর্ধ্বতন বাণিজ্যিক কর্মকর্তা  
পক্ষে ম্যানেজিং ডাইরেক্টর

ক্রঃ নং	মালামালের বিবরণ	পরিমাণ	মূল্য হার (একক প্রতি)
১।	<b>Boat Repair Tools Kit With Bag</b> As per attached technical specification	০৫ সেট	প্রতি সেট টাকা : ব্রান্ড :
২।	<b>Double cylinder backpack with Harness for Diving set</b> As per attached technical specification	২০ পিস	প্রতি পিস টাকা : ব্রান্ড :
৩।	<b>Tool Box With Standard Tools For Diving Set, Size: 15"</b> As per attached technical specification	২০ সেট	প্রতি সেট টাকা : ব্রান্ড :
৪।	<b>Diving Watch</b> As per attached technical specification	০৫ পিস	প্রতি পিস টাকা : ব্রান্ড :
৫।	<b>Life Preserver for Diving set</b> As per attached technical specification	০৫ পিস	প্রতি পিস টাকা : ব্রান্ড :
৬।	<b>Portable Pressure Gauge, 0 to 500 psi (350Bar)</b> As per attached technical specification	০৫ পিস	প্রতি পিস টাকা : ব্রান্ড :
৭।	<b>Scuba tank boot (Diameter-7.25", Aluminum)</b> As per attached technical specification	৪০ পিস	প্রতি পিস টাকা : ব্রান্ড :
সরবরাহের সময়ঃ উল্লেখ করতে হবে (কম সময় অগ্রাধিকারযোগ্য)।			সরবরাহের সময় :

দরপত্রের সাথে সংযুক্ত **Technical Specification** অবশ্যই সঠিকভাবে পূরণ করতে হবে, অন্যথায় দর/ দরপত্রটি বাতিল বলে গণ্য হবে। উল্লেখ্য, দরপত্র দাখিলে ক্ষেত্রে অবশ্যই E-mail: [dgml.ksy@gmail.com](mailto:dgml.ksy@gmail.com) এ অথবা খুলিলির টেন্ডার বক্সে দাখিল করতে হবে।

- বিঃ দ্রঃ ১। দরপত্রে মালামাল গুলির ব্রান্ড/ প্রস্তুতকারী দেশের নাম উল্লেখ করতে হবে। অন্যথায় দরপত্র বাতিল বলে গণ্য হতে পারে।  
২। টেন্ডার খোলার সময় দরদাতার কোন মতামত/ অভিযোগ থাকলে তা তাৎক্ষণিক টেন্ডার খোলার সময় টেন্ডার কমিটির নিকট উপস্থিত থেকে প্রকাশ করতে হবে। টেন্ডার খোলার পরবর্তীতে টেন্ডার সম্পর্কিত কোন অভিযোগ/ মতামত গ্রহণযোগ্য হবে না।

টেন্ডার কমিটির স্বাক্ষর

বাণিজ্যিক শাখা

হিসাবরক্ষন বিভাগ

ব্যবহারকারী

আমরা অপর পৃষ্ঠায় সমস্ত শর্তাবলী মানিয়া নিলাম।

সরবরাহকারীর স্বাক্ষর

ভ্যাট নিবন্ধন নং-

এরিয়া কোড নং-

টি আই এন নং-

- ১। দরপত্র ফ্রি ডেলিভারী এন্ট্রি সাইট শর্ত ছাড়া অন্য কোন শর্তে গ্রহণযোগ্য নয়।
- ২। টেন্ডারে অংশগ্রহণকারীকে সরকারী বিধি মোতাবেক কাষ্টমস কর্তৃপক্ষের দপ্তর থেকে মূসক সেবার কোড এর ০৩৭.০০ আওতাধীন “যোগানদার” হিসাবে মূল্য সংযোজন কর/টার্নওভার ট্যাক্স নিবন্ধিত হতে হবে এবং এই টেন্ডারের সাথে মূসক/টার্নওভার ট্যাক্স নিবন্ধন পত্রের কপি সংযুক্ত করতে হবে। সরকারী বিধি মোতাবেক মূসক আদায়/রহিত করা হবে।
- ৩। সরবরাহকারীর মূল্য তালিকা (স্বহস্তে লিখিত বা ছাপানো হোক) পরিস্কারভাবে সিলমোহরকৃত খামে ম্যানেজিং ডাইরেক্টর, খুলনা শিপইয়ার্ড লিঃ বাংলাদেশ নৌ বাহিনী, খুলনা সম্বোধন পূর্বক পাঠাতে হবে। এছাড়া দরপত্র ই-মেইলে [dgml.ksy@gmail.com](mailto:dgml.ksy@gmail.com) ঠিকানায় ১১.১৫ ঘটিকার মধ্যে প্রেরণ করা যাবে।
- ৪। মূল্য যাচাইপত্র নং বাবি .....২২/৪৩/২০২৩-২০২৪..... তারিখ...২৪/৮/২০২৩..... জমা নেবার শেষ তারিখ ....৩১/৮/২০২৩.... বেলা ১১-৩০ মিনিট পর্যন্ত।
- ৫। মূল্য তালিকা ডাকে অথবা স্বহস্তে শিপইয়ার্ড প্রধান ফটকে রক্ষিত বাক্সে জমা দিতে হবে। মূল্য তালিকা কমপক্ষে ৪০ দিন পর্যন্ত অবশ্যই বলবৎ রাখতে হবে। ক্রয় আদেশ প্রদানের তারিখ হতে ৭ দিনের মধ্যে মালামাল সরবরাহ করতে হবে।
- ৬। ক্রয়াদেশে বর্ণিত সময়সীমা উত্তীর্ণ হওয়ার পর মালামাল সরবরাহ করা হলে প্রতি সপ্তাহে অথবা অংশ বিশেষ এর জন্য ০.৫% হারে এলডি এবং সরবরাহে অধিক বিলম্বের কারণে উৎপাদন ব্যাহত হলে/ কোন ক্ষতি হলে প্রতি সপ্তাহের অথবা তার অংশ বিশেষের জন্য অনাধিক ১% হারে এলডি সরবরাহকারীর নিকট হতে কর্তন করা হবে।
- ৭। সরবরাহকারী কর্তৃক সময়মত মালামাল সরবরাহে ব্যর্থ হলে অসরবরাহকৃত মালামাল অন্যত্র হতে ক্রয় করে অতিরিক্ত খরচ (যদি কিছু থাকে) সরবরাহকারীর নিকট হতে আদায় করা হবে।
- ৮। আমাদের নির্দিষ্ট মূল্য যাচাই পত্রের টেন্ডার ফরম ব্যতিরেকে অন্য যে কোন শিরোনামাংকিত পত্রের মূল্য তালিকা পাঠানো হলে উহা গ্রহণযোগ্য নাও হতে পারে। বিলম্বে প্রাপ্ত দরপত্র গ্রহণযোগ্য নয়।
- ৯। খুলনা শিপইয়ার্ড কর্তৃপক্ষের কোন কারন দর্শানো ব্যতিরেকেই যে কোন কিংবা সকল মূল্য তালিকাই গ্রহণ অথবা নাকচ করার ক্ষমতা থাকবে।
- ১০। কোন গ্রহণযোগ্য মূল্য তালিকার সরবরাহকারীকে ক্রয়াদেশ বিধি মোতাবেক দ্রব্য সরবরাহ সুনিশ্চিত করার জন্য তালিকাভুক্তি ছাড়া সরবরাহকারীর নিকট ৩% হারে জামানত আহ্বান করা যাবে। উক্ত জামানত এবং তালিকাভুক্ত সরবরাহকারীর স্থায়ী জামানত শিপইয়ার্ড কর্তৃপক্ষের আইনের পরিপন্থি এবং ক্রয়াদেশ বহির্ভূত যে কোন কার্যের জন্য অথ্যাং নির্দিষ্ট সময়ে সরবরাহে অপারগ, প্রতিজ্ঞা অথবা নমুনা কিংবা ক্রয়াদেশ মোতাবেক সরবরাহ না করার জন্য বাজেয়াপ্ত করা যাবে।
- ১১। আমাদের এই শর্তাবলী স্বীকার করে নেওয়ার পর সরবরাহকারী কর্তৃক কোন প্রকার অবহেলা অথবা অন্য যে কোন নিজস্ব কারণে যদি শর্তাবলী লঙ্ঘিত হয় এবং তার পরিপ্রেক্ষিতে শিপইয়ার্ডের যে কোন দ্রব্যগত বা অর্থগত ক্ষতি সরবরাহকারীর জামানত হতে পুরন করা হবে।
- ১২। ক্রয়াদেশভুক্ত একই দফা আংশিক সরবরাহ গ্রহণযোগ্য নহে।

#### সালিসীর মধ্যস্থতা

উপরোক্ত শর্তাবলীর উপর যদি কোন মত বিরোধ দেখা দেয় তবে বিষয়টি নিষ্পত্তির জন্য উভয় পক্ষের মতানুসারে একটি সালিসী পক্ষ ডাকা হবে এবং তাতে বিফল হলে বাংলাদেশ নৌ বাহিনী কর্তৃক মনোনীত সালিসী পক্ষ এবং সরবরাহকারীর মনোনীত সালিসী পক্ষের মধ্যস্থতায় নিষ্পত্তির চেষ্টা করা হবে, তাতেও বিফল হলে উভয় সালিসী পক্ষের লিখিত মনোনায়নের মাধ্যম একজন বিচারক (আম্পায়ার) নিযুক্ত করা যাবে এবং তাতেও গৃহীত সিদ্ধান্ত ব্যর্থ হলে ১৯৪০ সালের সালিসী আইন অনুযায়ী চরম সিদ্ধান্তের জন্য একটি চরম সালিসী পক্ষকে মেনে নিতে হবে এবং সেই সিদ্ধান্ত উপরে বর্ণিত শর্তাবলী আইনানুগ ভাবে সংযোজিত হবে এবং উভয়পক্ষকে মেনে নিতে হবে।

#### বিশেষ দৃষ্টব্য

উপরোল্লিখিত যে কোন ঘরের নির্দিষ্ট বক্তব্য হতে বিরত থাকলে সরবরাহকারীর মূল্য উদ্ধৃত বাতিল হতে পারে। মূল্য উদ্ধৃতির সকল মূল্যহার পরিস্কার ভাবে লিখতে হবে। কোনরূপ অস্পষ্টতা, অসম্পূর্ণতা অথবা পুনঃলিখনের মাধ্যমে ভুল বুঝার অবকাশ থাকলে উদ্ধৃতির উক্ত অংশটুকু বাতিল বলে গণ্য হবে।



# খুলনা শিপইয়ার্ড লিমিটেড

দফা নং-১

বাংলাদেশ নৌ-বাহিনী, খুলনা

## ITEM SPECIFICATIONS


QF-PUR-01

Material Name	Boat Repair Tools Kit With Bag
Code	33B/3801
Demand Quantity	5.0
Expected Time	15__days
Country Origin	To be mentioned.
Country Manufacture	To be mentioned.
Manufacturing Year	2022 or Later.
Brand	To be mentioned.
Size	As per attachment
Weight	To be mentioned.
Attachment	<u>attachment</u>
Name Of Item	Boat Repair Tools Kit with Bag.
Purpose	Ship's Boat Repair.
Technical Parameters	a. Item Size: As per List of tools item, b. Grade: Marine Grade, c. Colour: Black.
Source Of Supply	To be mentioned.
Port Of Shipment	To be mentioned.
Manufacturer'S Name And Address	To be mentioned.
Certificate And Document Of Authentication	To be mentioned.
Packing & Labelling	Sea worthy condition.
Warranty	1 (One) Year.
Test, Trail And Acceptance	Will be completed by ship.

Accessories	If applicable.
Reference	Military Products এর আভ্যন্তরীণ লিপি নং- সূত্রঃ প্রজেক্ট-৩৬২/ পাট-২৪/15947, তারিখঃ Aug. 1, 2023
Supplier/ Local Agent	To be mentioned.
List Of Tools	Tools Bag (Black/grey), Adjustable Spanner(10 Inch), patch kit with glue, patches, brushes(1/ 4 , 1/ 3 , 1/ 2, 1, 1 1/ 2 and 2 Inches), buffing stone, clam shell repair clamp(2, 2 1 / 2 and 3 Inches),
List Of Tools	Pliers(6-7 Inches), Ball Point Hammer, Open-end Spanner (M10-M18), screwdrivers (Flat-10 Inch and Star-10 Inch), Castle nut and cotton pin, Emergency shut off clip and Combined spanner(M19-M24).
Specification	As per attached document and picture.



**TECHNICAL SPECIFICATION OF RIGID HULL BOAT REPAIR TOOLS KIT**

Ser	Particular	Description									
1.	Name of Item	Boat Repair Tools Kit with Bag									
2.	Quantity	01									
3.	Purpose	Ship's Boat Repair									
4.	Technical Parameters	<table> <tr> <td>a.</td><td>Item Size</td><td>As per ser no- 20</td></tr> <tr> <td>b.</td><td>Grade</td><td>Marine Grade</td></tr> <tr> <td>c.</td><td>Colour</td><td>Black</td></tr> </table>	a.	Item Size	As per ser no- 20	b.	Grade	Marine Grade	c.	Colour	Black
a.	Item Size	As per ser no- 20									
b.	Grade	Marine Grade									
c.	Colour	Black									
5.	Country of Origin	To be mentioned									
6.	Country of Manufacture	To be mentioned									
7.	Year of Manufacture	2022 or later									
8.	Source of Supply	To be mentioned									
9.	Port of Shipment	To be mentioned									
10.	Manufacturer's Name and Address	To be mentioned									
11.	Supplier/ Local Agent	-									
12.	Certificate and Document of Authentication	To be mentioned									
13.	Packing & Labelling	Sea worthy condition									
14.	Warranty	One Year									
15.	Installation	NA									
16.	Test, Trail and acceptance	Will be completed by ship									
17.	Site Visit (Focal Point)	NA									
18.	Training	NA									
19.	Accessories	If applicable									
20.	List of tools	Tools Bag (Black/grey), Adjustable Spanner(10 Inch), patch kit with glue, patches, brushes( $\frac{1}{4}$ , $\frac{1}{3}$ , $\frac{1}{2}$ , 1, $1\frac{1}{2}$ and 2 Inches ), buffing stone, clam shell repair clamp(2, $2\frac{1}{2}$ and 3 Inches), pliers(6-7 Inches), Ball Point Hammer, Open-end Spanner (10-18 Inches), screwdrivers (Flat-10 Inch and Star-10 Inch), Castle nut and cotton pin, Emergency shut off clip and Combined spanner(19-24 Inches)									
21.	Picture										



# খুলনা শিপইয়ার্ড লিমিটেড

দফা নং-২

বাংলাদেশ নৌ-বাহিনী, খুলনা

## ITEM SPECIFICATIONS

QF-PUR-01

Material Name	Double cylinder backpack with Harness for Diving set
Code	24B/1308
Demand Quantity	20.0
Expected Time	10_days
Country Origin	USA
Country Manufacture	To be mentioned.
Manufacturing Year	2022 or Later.
Brand	Xs SCUBA.
Size	As per standard. The item must be fitted with KSY existing diving cylinder and served the purpose.
Weight	To be mentioned.
Attachment	<u>attachment</u>
Company Name	Highland.
Technical Parameters	As follows:
A.	The 2 in (50 mm) nylon web is specifically sourced for harness and crotch strap applications.
B.	Includes two 5mm thick neoprene shoulder pads (p/n HL805).
C.	Includes 6 D-ring attachment points (2 waist, 2 shoulder, 2 crotch straps).
D.	Includes adjustable crotch strap.
Specification	As per attached document and picture.



## SPECIFICATION OF BACKPACK WITH HARNESS

### Highland Aluminium Tec/Rec Harness.

1. Brand : Xs SCUBA
2. Company Name : Highland
3. Country of Origin : USA
4. The 2 in (50 mm) nylon web is specifically sourced for harness and crotch strap applications.
5. Includes two 5mm thick neoprene shoulder pads (p/n HL805).
6. Includes 6 D-ring attachment points (2 waist, 2 shoulder, 2 crotch straps)
7. Includes adjustable crotch strap.





# খুলনা শিপইয়ার্ড লিমিটেড

দফা ৯-৬

বাংলাদেশ নৌ-বাহিনী, খুলনা

## ITEM SPECIFICATIONS

QF-PUR-01

Material Name	Tool Box With Standard Tools For Diving Set, Size: 15"
Code	33B/3802
Demand Quantity	20.0
Expected Time	15_days
Country Origin	USA
Country Manufacture	To be mentioned.
Manufacturing Year	2022 or Later.
Brand	Husky.
Size	Tool Box Size: 15"(inch).
Weight	To be mentioned.
Attachment	<u>attachment</u>
Name Of Item	Diving Tool Box.
Tool Box Size	15"(inch).
Item Of Tool Box	As follows:
A. Allen Key Set	02 set (03mm -10mm).
B. Adjustable Spanner	4 Nos, (06", 08", 10", 12") each sizes 01 nos.
C. Star Screw Driver	04 Nos.
D. Flat Screw Driver	04 Nos.
E. Ratchet Spanner	01 Nos.
Quantity	20 Sets complete.
Model	Husky Xs 50
Colour	Black

Company Name	Husky mechanics.
Specification	As per attached document and picture.



## SPECIFICATON OF DIVING TOOL BOX

- |    |                   |                   |
|----|-------------------|-------------------|
| 1. | Name of Item      | :Diving Tool Box  |
| 2  | Tool Box Size     | :15"(inch)        |
| 3. | Brand:            | Husky.            |
| 4. | Company name      | : Husky mechanics |
| 5. | Country of Origin | : USA             |
| 6. | Model             | : Husky Xs 50     |
| 6. | Colour            | : Black           |

### Item of tool Box:

- |                       |                           |
|-----------------------|---------------------------|
| a. Allen Key set      | - 02 set (03mm -10mm)     |
| b. Adjustable Spanner | - 04 (06", 08", 10", 12") |
| c. Star Screw Driver  | - 04                      |
| d. Flat Screw Driver  | - 04                      |
| f. Ratchet Spanner    | - 01                      |







# খুলনা শিপইয়ার্ড লিমিটেড

বাংলাদেশ নৌ-বাহিনী, খুলনা

## ITEM SPECIFICATIONS


QF-PUR-01

দফা নং-৪

Material Name	Diving Watch
Code	24B/1309
Demand Quantity	5.0
Expected Time	15__days
Country Origin	USA/UK
Country Manufacture	To be mentioned.
Manufacturing Year	2022 or Later.
Brand	Divex.
Size	As per standard.
Weight	To be mentioned.
Attachment	<u>attachment</u>
Name Of The Equipment	Diving watch.
Model	RM 680.
Colour	Black.
Water Resistanc	100 mtr.
Purpose	To be used by divers under water to identify timing, temperature, pressure and location of the diver.
Specification	As per attached document and picture.

## SPECIFICATION OF DIVEX OFFSHORE DIVE WATCH

- |                          |  |
|--------------------------|--|
| 1. Name of the Equipment | : Diving watch.  |
| 2. Quantity              | : 04   |
| 3. Brand                 | : Divex.   |
| 4. Model                 | : RM 680.  |
| 5. Country               | : USA/UK   |
| 6. Colour                | : Black  |
| 7. Water Resistanc       | : 100 mtr  |
| 8. Purpose               | : To be used by divers under water to identify timing, temperature, pressure and location of the diver |





# খুলনা শিপইয়ার্ড লিমিটেড

দফা নং-৬

বাংলাদেশ নৌ-বাহিনী, খুলনা

## ITEM SPECIFICATIONS

QF-PUR-01

Material Name	Life Preserver for Diving set
Code	24B/1310
Demand Quantity	5.0
Expected Time	15 days
Country Origin	USA/ UK/ EU countries.
Country Manufacture	To be mentioned.
Manufacturing Year	2022 or Later.
Brand	To be mentioned.
Size	As per standard.
Weight	To be mentioned.
Attachment	<a href="#">attachment</a>
Purpose	To control diver's buoyancy and for emergency surfacing from any depth.
Colour	Black.
Quantity	5 Set.
Technical In Details	-
A. Air Cylinder	Made of dual bag synthetic cloth and fitted with compressed air bottle (capacity 0.35-0.45 ltr (approx) working pressure 232 bar.
B. Breathing Bag	Made of dual bag synthetic cloth. The outer bag should be extremely flexible and material has to be proven in test five times more than abrasion resistant
B. Breathing Bag	And three times more puncture resistant than nylon (polyamide) fabrics. The inner bag has to provide the air holding capability and maximum buoyancy of (17-23) (25-30) kg.
C. Low Pressure Hose	The standard low pressure hose is to be approximately of 80cm/31.5 inches long. The inflator hose will be supplied with medium /intermediate pressure of less than 400 psi (28 bar).
D. Auto Pressure Relief Valve	Fitted with manual and auto matic pressure relief valve for manual operation it is actuated by pulling the knob straight down to open spring loaded valve and thus allowing air to escape from the life preserver.

E. Emergency Breathing Inflation Valves	It has to allow the diver to breathe air from the life preserver by simply inhaling and exhaling.
F. Drain Valve	It has to enable easy washing of the inner bag through the drain valve.
G. Harness And Rescue Harness	The harness is to be constructed of strong webbing with quick release buckles and sufficient length to fit with diver attached. The rescues are to be fitted in a convenient place.
H. Cylinder Post	The cylinder valve is to be attached to the jacket mounted cylinder post.
H. Cylinder Post	a. Inflatable device (Similar to life jacket) used for controlling divers buoyancy and emergency surfacing.
H. Cylinder Post	b. To contain a compressed air bottle and manual (Oral and low pressure) inflation device.
I. Normal Working Depth	40 m + 10 m
J. Spares	Spare parts of at least 5 years to be supplied and guarantee of supplying spares for further 5 years is to be provided.
Specification	As per attached document and picture.



## SPECIFICATION OF LIFE PRESERVERS FOR DIVING

1. Name of Items: Life preserver
2. Purpose: To control diver's buoyancy and for emergency surfacing from any depth.
3. Country of Origin: USA, UK and EU countries.
4. Colour: Black
5. Quantity: 05 (Five) in numbers complete sets.
6. Technical in Details:
  - a. Air Cylinder: Made of dual bag synthetic cloth and fitted with compressed air bottle (capacity 0.35-0.45 ltr (approx) working pressure 232 bar.
  - b.
  - c. Breathing Bag: Made of dual bag synthetic cloth. The outer bag should be extremely flexible and material has to be proven in test five times more than abrasion resistant and three times more puncture resistant than nylon (polyamide) fabrics. The inner bag has to provide the air holding capability and maximum buoyancy of (17-23) (25-30) kg.
  - d. Low Pressure Hose: The standard low pressure hose is to be approximately of 80cm/31.5 inches long. The inflator hose will be supplied with medium /intermediate pressure of less than 400 psi (28 bar).
  - e.
  - f. Auto Pressure Relief Valve: Fitted with manual and auto matic pressure relief valve for manual operation it is actuated by pulling the knob straight down to open spring loaded valve and thus allowing air to escape from the life preserver.
  - g. Emergency Breathing Inflation Valves: It has to allow the diver to breathe air from the life preserver by simply inhaling and exhaling
  - h. Drain Valve: It has to enable easy washing of the inner bag through the drain valve.
  - i. Harnase and Rescue Harness: The harness is to be constructed of strong webbing with quick release buckles and sufficient length to fit with diver attached. The rescues are to be fitted in a convenient place.



j. **Cylinder Post:** The cylinder valve is to be attached to the jacket mounted cylinder post

- a. Inflatable device (Similar to life jacket) used for controlling divers buoyancy and emergency sufilacing.
- b. To contain a compressed air bottle and manual (Oral and low pressure) inflation device.

k. **Normal Working Depth:** 40 m+ 10 m

l. **Spares:** spare parts of at least 5 years to be supplied and guarantee of supplying spares for further 5 years is to be provided.







# খুলনা শিপইয়ার্ড লিমিটেড

দৃশ্য নং-৬

বাংলাদেশ নৌ-বাহিনী, খুলনা

## ITEM SPECIFICATIONS

QF-PUR-01


Material Name	Portable Pressure Gauge, 0 to 500 psi (350Bar)
Code	24B/1311
Demand Quantity	5.0
Expected Time	15_days
Country Origin	USA
Country Manufacture	To be mentioned.
Manufacturing Year	To be mentioned.
Brand	Xs SCUBA
Size	As per standard.
Weight	To be mentioned.
Attachment	<a href="#">attachment</a>
Name Of Item	Portable pressure gauge.
Company Name	Sea pearls.
Purpose	Diving cylinder / Tank Pressure Checker.
Quantity	05 Set.
Features	-
A.	Easy-Way to Check Tank Pressure.
B.	Impact resistant rubber gauge boot.
C.	Large and easy to operate yoke hand wheel.
Material	Crome-Plated, Marine Grade Solid-Brass.
Read Out	0 to 500 Psi (350 Bars) Pressure Gauge.
Integrated Bleed Valve	Yes

Reference	Military Products এর আভ্যন্তরীণ লিপি নং- সূত্রঃ প্রজেক্ট-৩৬২/ পার্ট-২৪/৫৬২, তারিখঃ Aug. 7, 2023
-----------	---

## SPECIFICATION Of PORTABLE PRESSURE GAUGE

### Scuba Gear Technical Information:

1. Brand : Xs SCUBA
2. Country of origin : USA
3. Company name : Sea pearls
4. Purpose : Diving cylinder/ Tank Pressure Checker
5. Quantity : 01
6. Features :
  - a. Easy-Way to Check Tank Pressure
  - b. Impact resistant rubber gauge boot.
  - c. Large and easy to operate yoke hand wheel.
7. Material : Crome-Plated, Marine Grade Solid-Brass.
8. Read Out : 0 to 500 Psi (350 Bars) Pressure Gauge.
9. Integrated Bleed Valve :Yes





দফা নং-৭

## খুলনা শিপইয়ার্ড লিমিটেড

বাংলাদেশ নৌ-বাহিনী, খুলনা

### ITEM SPECIFICATIONS

QF-PUR-01

Material Name	Scuba tank boot (Diameter-7.25", Aluminum)
Code	24B/1312
Demand Quantity	40.0
Expected Time	15__days
Country Origin	To be mentioned.
Country Manufacture	To be mentioned.
Manufacturing Year	To be mentioned.
Brand	To be mentioned.
Size	Diameter- 7.25" (inch).
Weight	To be mentioned.
Attachment	<u>attachment</u>
Name Of Item	Scuba tank boot.
Shape & Material	Octagonal shape plastic.
Fitting Item	Standard aluminum 80 and 63 cu tanks.
Description	Octagonal shaped plastic boot for the bottom of a scuba diving tank. 7.25" inch diameter fits standard aluminum 80 and 63 cu tanks.
Quantity	05 Nos.
Specification	As per attached document and picture.

## SCUBA TANK BOOT

Description: Octagonal shaped plastic boot for the bottom of a scuba diving tank. 7.25" inch diameter fits standard aluminum 80 and 63 cu tanks.



Scuba Tank Boot