



# খুলনা শিপইয়ার্ড লিমিটেড

বাংলাদেশ নৌ বাহিনী, খুলনা

Website: [www.khulnashipyard.com](http://www.khulnashipyard.com), E-mail: [dgml.ksy@gmail.com](mailto:dgml.ksy@gmail.com)

.....

টেন্ডার নং বাবি-২২/২৫/২৩-২৪

.....

তারিখঃ ১৮-১০-২০২৩

.....

খোলার তারিখঃ ২৫/১০/২০২৩

বেলাঃ ১১-৩০ ঘটিকা

প্রিয় মহোদয়গণ,

নিম্নলিখিত দ্রব্যাদি খুলনা শিপইয়ার্ডে সরবরাহ করার জন্য আপনাদের কাছ থেকে সর্বনিম্ন মূল্য তালিকা আহবান করা যাচ্ছে। আপনাদের মূল্য তালিকা অবশ্যই অপর পৃষ্ঠায় বর্ণিত আমাদের শর্তাবলী অনুযায়ী হতে হবে।

আপনাদের বিশ্বস্ত

এম এম খায়রুল আলম  
উর্ধ্বতন বাণিজ্যিক কর্মকর্তা  
পক্ষে ম্যানেজিং ডাইরেক্টর

## মালামালের বিবরণ

সংযুক্ত তালিকা মোতাবেক ০৩ (তিন) দফা মালামাল।

সরবরাহের সময়ঃ উল্লেখ করতে হবে  
(কম সময় অগ্রাধিকারযোগ্য)।

দরপত্রের সাথে চাহিদাকৃত সকল তথ্য অবশ্যই সঠিকভাবে পূরণ করতে হবে অন্যথায় দর/দরপত্রটি বাতিল বলে গন্য হবে। উল্লেখ্য, দরপত্র দাখিলে ক্ষেত্রে অবশ্যই E-mail: [dgml.ksy@gmail.com](mailto:dgml.ksy@gmail.com) এ অথবা খুলিলির টেন্ডার বক্সে দাখিল করতে হবে।

- বিঃ দ্রঃ ১। দরপত্রে মালামাল গুলির ব্রাড/প্রস্তুতকারী দেশের নাম উল্লেখ করতে হবে। অন্যথায় দরপত্র বাতিল বলে গন্য হতে পারে।  
২। টেন্ডার খোলার সময় দরদাতার কোন মতামত/অভিযোগ থাকলে তা তাৎক্ষণিক টেন্ডার খোলার সময় টেন্ডার কমিটির নিকট উপস্থিত থেকে প্রকাশ করতে হবে। টেন্ডার খোলার পরবর্তীতে টেন্ডার সম্পর্কিত কোন অভিযোগ/মতামত গ্রহণযোগ্য হবে না।

টেন্ডার কমিটির স্বাক্ষর

বাণিজ্যিক শাখা

হিসাবরক্ষন বিভাগ

ব্যবহারকারী

আমরা অপর পৃষ্ঠায় সমস্ত শর্তাবলী মানিয়া নিলাম।

সরবরাহকারীর স্বাক্ষর

ভ্যাট নিবন্ধন নং-

এরিয়া কোড নং-

- ১। দরপত্র ফ্রি ডেলিভারী এন্ট সাইট শর্ত ছাড়া অন্য কোন শর্তে গ্রহণযোগ্য নয়।
- ২। টেন্ডারে অংশগ্রহণকারীকে সরকারী বিধি মোতাবেক কাস্টমস কর্তৃপক্ষের দপ্তর থেকে মূসক সেবার কোড এর ০৩৭.০০ আওতাধীন “যোগানদার” হিসাবে মূল্য সংযোজন কর/টার্নওভার ট্যাক্স নিবন্ধিত হতে হবে এবং এই টেন্ডারের সাথে মূসক/টার্নওভার ট্যাক্স নিবন্ধন পত্রের কপি সংযুক্ত করতে হবে। সরকারী বিধি মোতাবেক মূসক আদায়/রহিত করা হবে।
- ৩। সরবরাহকারীর মূল্য তালিকা (স্বহস্তে লিখিত বা ছাপানো হোক) পরিষ্কারভাবে সিলমোহরকৃত খামে ম্যানেজিং ডাইরেক্টর, খুলনা শিপইয়ার্ড লিঃ বাংলাদেশ নৌ বাহিনী, খুলনা সম্মোদন পূর্বক পাঠাতে হবে। এছাড়া দরপত্র ই-মেইলে [dgml.ksy@gmail.com](mailto:dgml.ksy@gmail.com) ঠিকানায় ১১.১৫ ঘণ্টিকার মধ্যে প্রেরণ করা যাবে।
- ৪। মূল্য যাচাইপত্র নং বাবি .....২২/২৫/২০২৩-২০২৪..... তারিখ...১৮/১০/২০২৩..... জমা নেবার শেষ তারিখ ....২৫/১০/২০২৩.... বেলা ১১-৩০ মিনিট পর্যন্ত।
- ৫। মূল্য তালিকা ডাকে অথবা স্বহস্তে শিপইয়ার্ড প্রধান ফটকে রক্ষিত বাক্সে জমা দিতে হবে। মূল্য তালিকা কমপক্ষে ৪০ দিন পর্যন্ত অবশ্যই বলবৎ রাখতে হবে। ক্রয় আদেশ প্রদানের তারিখ হতে ৭ দিনের মধ্যে মালামাল সরবরাহ করতে হবে।
- ৬। ক্রয়াদেশে বর্ণিত সময়সীমা উত্তীর্ণ হওয়ার পর মালামাল সরবরাহ করা হলে প্রতি সপ্তাহে অথবা অংশ বিশেষ এর জন্য ০.৫% হারে এলডি এবং সরবরাহে অধিক বিলম্বের কারণে উৎপাদন ব্যহত হলে/ কোন ক্ষতি হলে প্রতি সপ্তাহের অথবা তার অংশ বিশেষের জন্য অনাধিক ১% হারে এলডি সরবরাহকারীর নিকট হতে কর্তন করা হবে।
- ৭। সরবরাহকারী কর্তৃক সময়মত মালামাল সরবরাহে ব্যর্থ হলে অসরবরাহকৃত মালামাল অন্যত্র হতে ক্রয় করে অতিরিক্ত খরচ (যদি কিছু থাকে) সরবরাহকারীর নিকট হতে আদায় করা হবে।
- ৮। আমাদের নির্দিষ্ট মূল্য যাচাই পত্রের টেন্ডার ফরম ব্যতিরেকে অন্য যে কোন শিরোনামাংকিত পত্রের মূল্য তালিকা পাঠানো হলে উহা গ্রহণযোগ্য নাও হতে পারে। বিলম্বে প্রাপ্ত দরপত্র গ্রহণযোগ্য নয়।
- ৯। খুলনা শিপইয়ার্ড কর্তৃপক্ষের কোন কারন দর্শানো ব্যতিরেকেই যে কোন কিংবা সকল মূল্য তালিকাই গ্রহণ অথবা নাকচ করার ক্ষমতা থাকবে।
- ১০। কোন গ্রহণযোগ্য মূল্য তালিকার সরবরাহকারীকে ক্রয়াদেশ বিধি মোতাবেক দ্রব্য সরবরাহ সুনিশ্চিত করার জন্য তালিকাভুক্তি ছাড়া সরবরাহকারীর নিকট ৩% হারে জামানত আহবান করা যাবে। উক্ত জামানত এবং তালিকাভুক্ত সরবরাহকারীর স্থায়ী জামানত শিপইয়ার্ড কর্তৃপক্ষের আইনের পরিপন্থি এবং ক্রয়াদেশ বহির্ভূত যে কোন কার্যের জন্য অথ্যাং নির্দিষ্ট সময়ে সরবরাহে অপারগ, প্রতিজ্ঞা অথবা নমুনা কিংবা ক্রয়াদেশ মোতাবেক সরবরাহ না করার জন্য বাজেয়াপ্ত করা যাবে।
- ১১। আমাদের এই শর্তাবলী স্বীকার করে নেওয়ার পর সরবরাহকারী কর্তৃক কোন প্রকার অবহেলা অথবা অন্য যে কোন নিজস্ব কারনে যদি শর্তাবলী বিঘ্নিত হয় এবং তার পরিপ্রেক্ষিতে শিপইয়ার্ডের যে কোন দ্রব্যগত বা অর্থগত ক্ষতি সরবরাহকারীর জামানত হতে পূরন করা হবে।
- ১২। ক্রয়াদেশভুক্ত একই দফা আংশিক সরবরাহ গ্রহণযোগ্য নহে।

#### সালিসীর মধ্যস্থতা

উপরোক্ত শর্তাবলীর উপর যদি কোন মত বিরোধ দেখা দেয় তবে বিষয়টি নিষ্পত্তির জন্য উভয় পক্ষের মতানুসারে একটি সালিসী পক্ষ ডাকা হবে এবং তাতে বিফল হলে বাংলাদেশ নৌ বাহিনী কর্তৃক মনোনীত সালিসী পক্ষ এবং সরবরাহকারীর মনোনীত সালিসী পক্ষের মধ্যস্থতায় নিষ্পত্তির চেষ্টা করা হবে, তাতেও বিফল হলে উভয় সালিসী পক্ষের লিখিত মনোনায়নের মাধ্যম একজন বিচারক (আম্পায়ার) নিযুক্ত করা যাবে এবং তাতেও গৃহীত সিদ্ধান্ত ব্যর্থ হলে ১৯৪০ সালের সালিসী আইন অনুযায়ী চরম সিদ্ধান্তের জন্য একটি চরম সালিসী পক্ষকে মেনে নিতে হবে এবং সেই সিদ্ধান্ত উপরে বর্ণিত শর্তাবলী আইনানুগ ভাবে সংযোজিত হবে এবং উভয়পক্ষকে মেনে নিতে হবে।

#### বিশেষ দৃষ্টব্য

উপরোল্লিখিত যে কোন ঘরের নির্দিষ্ট বক্তব্য হতে বিরত থাকলে সরবরাহকারীর মূল্য উদ্ধৃত বাতিল হতে পারে। মূল্য উদ্ধৃতির সকল মূল্যহার পরিষ্কার ভাবে লিখতে হবে। কোনরূপ অস্পষ্টতা, অসম্পূর্ণতা অথবা পুনঃলিখনের মাধ্যমে ভুল বুঝার অবকাশ থাকলে উদ্ধৃতির উক্ত অংশটুকু বাতিল বলে গণ্য হবে।



টেন্ডার নং বাবি-২২/২৫/২৩-২৪

তারিখঃ ১৮/১০/২০২৩

খোলার তারিখঃ ২৫/১০/২০২৩

ক্রঃ নং	মালামালের বিবরণ	পরিমাণ	মূল্য হার (একক প্রতি)
১।	SS Jubilee Clamp 3/4" a. Country Origin: To be mentioned b. Country manufacturing: To be mentioned c. Manufacturing Year: 2022 d. Brand: To be mentioned e. Size: ¾ inch f. Attachment : <u>attachment</u> g. Delivery Time: To be mentioned (Less time is preferable)	৫০০ পিস	প্রতি পিস টাঃ a. Country Origin: b. Country manufacturing: c. Manufacturing Year: d. Brand: e. Size: f. Attachment : <u>attachment</u> g. Delivery Time:
২।	Oxyzen Regulator a. Country Origin: To be mentioned b. Country manufacturing: To be mentioned c. Manufacturing Year: 2022 d. Brand: To be mentioned e. Attachment : <u>attachment</u> f. Delivery Time: To be mentioned (Less time is preferable)	১০০ পিস	প্রতি পিস টাঃ a. Country Origin: b. Country manufacturing: c. Manufacturing Year: d. Brand: e. Attachment : <u>attachment</u> f. Delivery Time:
৩।	Paint Brush -2" a. Country Origin: To be mentioned b. Country manufacturing: To be mentioned c. Manufacturing Year: To be mentioned d. Brand: To be mentioned e. Size: 2 inch f. Attachment : <u>attachment</u> g. Delivery Time: To be mentioned (Less time is preferable)	২০০ পিস	প্রতি পিস টাঃ a. Country Origin: b. Country manufacturing: c. Manufacturing Year: d. Brand: e. Size: f. Attachment : <u>attachment</u> g. Delivery Time:

### Jubilee Clamp

Sl. no.	Item	Description	Remarks
1.	Name of the Item	Jubilee Clamp	
2.	Applicable Field	A Jubilee Clamp is a circular or band-shaped device designed to secure hoses onto connectors by providing a strong, adjustable, and reliable sealing mechanism.	
3.	Year of Manufacture	2022 or later	
4.	Quantity	500 pcs	
5.	Materials	<b>Band:</b> Usually made of stainless steel, carbon steel, or other corrosion-resistant metals. <b>Screw:</b> Made of the same or compatible material as the band. <b>Housing:</b> Often constructed from metal or plastic, holds the screw in place.	
6.	Brand	To be mentioned	
7.	Dimensions	<b>Band Width:</b> Typically ranges from 8 mm to 25 mm (0.3 to 1 inch). <b>Band Thickness:</b> Usually between 0.5 mm to 1.5 mm. <b>Clamp Diameter:</b> Available in various sizes to accommodate different hose diameters, typically ranging from 6 mm to 300 mm (0.24 to 11.8 inches).	
8.	Features	<b>Screw Mechanism:</b> A worm gear or screw mechanism that tightens or loosens the clamp. <b>Adjustable:</b> Provides a means of adjusting the tightness of the clamp to suit various hose sizes. <b>Smooth Edges:</b> Rounded or smooth edges to prevent damage to hoses. <b>Non-Perforated:</b> Some models have no perforations on the band for a continuous seal. <b>Perforated Band:</b> Others have evenly spaced perforations to accommodate different hose sizes. <b>Housing:</b> Securely holds the screw and provides stability during tightening. <b>Hexagonal Screw Head:</b> Some clamps have a hexagonal head to facilitate tightening with a wrench or socket.	
9.	Compliance and Standards	Ensure compliance with relevant industry standards and regulations, such as RoHS (Restriction of Hazardous Substances) for materials used.	
10.	Country of origin	To be mentioned	

*[Handwritten signature]*



### Oxygen Regulator

Sl. no.	Item	Description	Remarks
1.	Name of the Item	Oxygen Regulator	
2.	Applicable Field	An oxygen regulator is a precision device used to regulate the flow and pressure of oxygen gas from a high-pressure source (e.g., oxygen cylinder) to a level suitable for medical or industrial use	
3.	Year of Manufacture	2022 or later.	
4.	Quantity	100 full set	
5.	Materials	<b>Body:</b> Typically made of durable materials such as brass, aluminum, or stainless steel. <b>Internal Components:</b> Made of compatible materials for oxygen service.	
6.	Dimensions	<b>Length:</b> Varies depending on the type and model but is typically around 5 to 8 inches. <b>Width:</b> Typically around 3 to 4 inches. <b>Weight:</b> Varies based on size and design, often between 1 to 2 pounds.	
7.	Brand	To be mentioned	
8.	Features	<b>Flow Control:</b> Allows for precise adjustment of oxygen flow in liters per minute (LPM). <b>Pressure Gauge:</b> Indicates the pressure of the oxygen gas in the cylinder. <b>Flow Gauge:</b> Displays the selected flow rate in LPM. <b>Inlet and Outlet Connections:</b> Designed to connect to the oxygen cylinder outlet and delivery device (e.g., mask, cannula, or tubing). <b>Safety Features:</b> May include overpressure relief valves and pressure gauges to ensure safe and accurate operation. <b>Flow Adjustment Knob:</b> Enables easy and precise flow rate adjustment. <b>Color-Coded Knobs:</b> Often color-coded for easy identification of flow rates. <b>Durable Construction:</b> Built to withstand the rigors of medical and industrial environments.	
9.	Usage	Connect the regulator to the oxygen cylinder. Adjust the flow rate to the prescribed level. Connect the delivery device (e.g., nasal cannula or oxygen mask) to the outlet. Open the cylinder valve to start the oxygen flow.	
10.	Applications	<b>Medical:</b> Used in hospitals, clinics, and home healthcare settings for patients with respiratory conditions. <b>Industrial:</b> Utilized in various industrial processes, such as welding, cutting, and metal fabrication.	
11.	Packaging	Typically sold individually, accompanied by user instructions and safety guidelines.	
12.	Compliance and Standards	Must adhere to industry-specific standards, such as ISO 10524-1:2005 for medical oxygen regulators. Comply with safety and quality regulations, depending on the region and industry.	
13.	Warranty	Offer a limited warranty against manufacturing defects.	
14.	Country of origin	To be mentioned	
15.	Country of manufacturer	To be mentioned	

*[Handwritten signature]*

### Paint Brush-2"

Sl. no.	Item	Description	Remarks
1.	Name of the Item	Paint Brush-2"	
2.	Applicable Field	Duct seal. It can also be used for dust, glues, adhesives & paint removers.	
3.	Year of Manufacture	To be mentioned	
4.	Quantity	200 pcs	
5.	Brand	To be mentioned	
6.	Colour	Wood	
7.	Country of origin	To be mentioned	
8.	The material of the bristles	Synthetic	
9.	Size	Which is measured by the width of the bristles at the ferrule (the metal band that holds the bristles to the handle). A 2 inch paint brush has a width of about 5 cm.	
10.	The Material of the handle of the brush	Which can be made from wood, plastic, metal, or other materials. The handle should be comfortable and ergonomic to hold and control. The handle may also have a hole or a hook for hanging or storing the brush.	
11.	The ferrule of the brush	Which can be made from stainless steel, copper, brass, or other metals. The ferrule should be securely attached to the handle and the bristles to prevent shedding or loosening. The ferrule may also have a crimped or welded design to enhance durability and stability.	

