

- ১। দরপত্র ফ্রি ডেলিভারী এ্যাট সাইট শর্ত ছাড়া অন্য কোন শর্তে গ্রহণযোগ্য নয়।
- ২। টেন্ডারে অংশগ্রহণকারীকে সরকারী বিধি মোতাবেক কাস্টমস কর্তৃপক্ষের দপ্তর থেকে মূসক সেবার কোড এর ০৩৭.০০ আওতাধীন “যোগানদার” হিসাবে মূল্য সংযোজন কর/টার্নওভার ট্যাক্স নিবন্ধিত হতে হবে এবং এই টেন্ডারের সাথে মূসক/টার্নওভার ট্যাক্স নিবন্ধন পত্রের কপি সংযুক্ত করতে হবে। সরকারী বিধি মোতাবেক মূসক আদায়/রহিত করা হবে।
- ৩। সরবরাহকারীর মূল্য তালিকা (স্বহস্তে লিখিত বা ছাপানো হোক) পরিস্কারভাবে সিলমোহরকৃত খামে ম্যানেজিং ডাইরেক্টর, খুলনা শিপইয়ার্ড লিঃ বাংলাদেশ নৌ বাহিনী, খুলনা সম্বোধন পূর্বক পাঠাতে হবে। এছাড়া দরপত্র ই-মেইলে- oiocoml.ksy@gmail.com ঠিকানায় ১১.১৫ ঘটিকার মধ্যে প্রেরণ করা যাবে।
- ৪। মূল্য যাচাইপত্র নং বাবি-২২/৭৪৮/২১-২২ তারিখ ২৬-১২-২০২১ জমা নেবার শেষ তারিখ ০২-০১-২০২২ বেলা ১১-৩০ মিনিট পর্যন্ত।
- ৫। মূল্য তালিকা ডাকে অথবা স্বহস্তে শিপইয়ার্ড প্রধান ফটকে রক্ষিত বাক্সে জমা দিতে হবে। মূল্য তালিকা কমপক্ষে ৪০ দিন পর্যন্ত অবশ্যই বলবৎ রাখতে হবে। ক্রয়াদেশ প্রদানের তারিখ হতে নির্দিষ্ট দিনের মধ্যে মালামাল সরবরাহ করতে হবে।
- ৬। ক্রয়াদেশে বর্ণিত সময়সীমা উত্তীর্ণ হওয়ার পর মালামাল সরবরাহ করা হলে প্রতি সপ্তাহে অথবা অংশ বিশেষ এর জন্য ০.৫% হারে এলডি এবং সরবরাহে অধিক বিলম্বের কারণে উৎপাদন ব্যাহত হলে/ কোন ক্ষতি হলে প্রতি সপ্তাহের অথবা তার অংশ বিশেষের জন্য অনাধিক ১% হারে এলডি সরবরাহকারীর নিকট হতে কর্তন করা হবে।
- ৭। সরবরাহকারী কর্তৃক সময়মত মালামাল সরবরাহে ব্যর্থ হলে অসরবরাহকৃত মালামাল অন্যত্র হতে ক্রয় করে অতিরিক্ত খরচ (যদি কিছু থাকে) সরবরাহকারীর নিকট হতে আদায় করা হবে।
- ৮। আমাদের নির্দিষ্ট মূল্য যাচাই পত্রের টেন্ডার ফরম ব্যতিরেকে অন্য যে কোন শিরোনামাংকিত পত্রের মূল্য তালিকা পাঠানো হলে উহা গ্রহণযোগ্য নাও হতে পারে। বিলম্বে প্রাপ্ত দরপত্র গ্রহণযোগ্য নয়।
- ৯। খুলনা শিপইয়ার্ড কর্তৃপক্ষের কোন কারন দর্শানো ব্যতিরেকেই যে কোন কিংবা সকল মূল্য তালিকাই গ্রহণ অথবা নাকচ করার ক্ষমতা থাকবে।
- ১০। কোন গ্রহণযোগ্য মূল্য তালিকার সরবরাহকারীকে ক্রয়াদেশ বিধি মোতাবেক দ্রব্য সরবরাহ সুনিশ্চিত করার জন্য তালিকাভুক্তি ছাড়া সরবরাহকারীর নিকট ৩% হারে জামানত আহ্বান করা যাবে। উক্ত জামানত এবং তালিকাভুক্ত সরবরাহকারীর স্থায়ী জামানত শিপইয়ার্ড কর্তৃপক্ষের আইনের পরিপন্থি এবং ক্রয়াদেশ বহির্ভূত যে কোন কার্যের জন্য অথ্যাং নির্দিষ্ট সময়ে সরবরাহে অপারগ, প্রতিজ্ঞা অথবা নমুনা কিংবা ক্রয়াদেশ মোতাবেক সরবরাহ না করার জন্য বাজেয়াপ্ত করা যাবে।
- ১১। আমাদের এই শর্তাবলী স্বীকার করে নেওয়ার পর সরবরাহকারী কর্তৃক কোন প্রকার অবহেলা অথবা অন্য যে কোন নিজস্ব কারনে যদি শর্তাবলী বিঘ্নিত হয় এবং তার পরিপ্রেক্ষিতে শিপইয়ার্ডের যে কোন দ্রব্যগত বা অর্থগত ক্ষতি সরবরাহকারীর জামানত হতে পূরন করা হবে।
- ১২। ক্রয়াদেশভুক্ত একই দফা আংশিক সরবরাহ গ্রহণযোগ্য নহে।

সালিসীর মধ্যস্থতা

উপরোক্ত শর্তাবলীর উপর যদি কোন মত বিরোধ দেখা দেয় তবে বিষয়টি নিষ্পত্তির জন্য উভয় পক্ষের মতানুসারে একটি সালিসী পক্ষ ডাকা হবে এবং তাতে বিফল হলে বাংলাদেশ নৌ বাহিনী কর্তৃক মনোনীত সালিসী পক্ষ এবং সরবরাহকারীর মনোনীত সালিসী পক্ষের মধ্যস্থতায় নিষ্পত্তির চেষ্টা করা হবে, তাতেও বিফল হলে উভয় সালিসী পক্ষের লিখিত মনোনায়নের মাধ্যম একজন বিচারক (আম্পায়ার) নিযুক্ত করা যাবে এবং তাতেও গৃহীত সিদ্ধান্ত ব্যর্থ হলে ১৯৪০ সালের সালিসী আইন অনুযায়ী চরম সিদ্ধান্তের জন্য একটি চরম সালিসী পক্ষকে মেনে নিতে হবে এবং সেই সিদ্ধান্ত উপরে বর্ণিত শর্তাবলী আইনানুগ ভাবে সংযোজিত হবে এবং উভয়পক্ষকে মেনে নিতে হবে।

বিশেষ দৃষ্টব্য

উপরোল্লিখিত যে কোন ঘরের নির্দিষ্ট বক্তব্য হতে বিরত থাকলে সরবরাহকারীর মূল্য উদ্ধৃত বাতিল হতে পারে। মূল্য উদ্ধৃতির সকল মূল্যহার পরিস্কার ভাবে লিখতে হবে। কোনরূপ অস্পষ্টতা, অসম্পূর্ণতা অথবা পুনঃলিখনের মাধ্যমে ভুল বুঝার অবকাশ থাকলে উদ্ধৃতির উক্ত অংশটুকু বাতিল বলে গণ্য হবে।

টেন্ডার নং বাবি-২২/৭৪৮/২১-২২

তারিখঃ ২৬-১২-২১


খোলার তারিখঃ ০২-০১-২২

বেলাঃ ১১-৩০ ঘটিকা

প্রিয় মহোদয়গণ,

নিম্নলিখিত দ্রব্যাদি খুলনা শিপইয়ার্ডে সরবরাহ করার জন্য আপনাদের কাছ থেকে সর্বনিম্ন মূল্য তালিকা আহবান করা যাচ্ছে। আপনাদের মূল্য তালিকা অবশ্যই অপর পৃষ্ঠায় বর্ণিত আমাদের শর্তাবলী অনুযায়ী হতে হবে।

আপনাদের বিশ্বস্ত



এম এম খায়রুল আলম

বাণিজ্যিক কর্মকর্তা

পক্ষে ম্যানেজিং ডাইরেক্টর

ক্রঃ নং	মালামালের বিবরণ	পরিমাণ	একক দর	মোট মূল্য
১।	Electric motor driven centrifugal pump. Type of Pump: Centrifugal. Model: CPml60B. Brand/ Maker: Pedrollo. Country of origin: Italy. Manufacturing country: To be mentioned. Year of manufacture: 2021 or later. The item should be brand new and original. Capacity: Minimum 13 m ³ /hr at 23 meter head. Delevary Time: 15 Days (As per attached Specification)	০৪ সেট	প্রতি সেট টাঃ Type of Pump: Model: Brand/ Maker: Country of origin: Manufacturing country : Year of manufacture: Capacity: Delevary Time:	
২।	Semi rotary hand pump. Country of Origin and Manufacturing Country: To be mentioned. Manufacturer: To be mentioned. Year of manufacture: 2020 or later. The item should be brand new and original. Technical requirements: a. Type: Self priming double acting (marine type). b. Model: To be mentioned. c. Capacity: 20 liter/min (minimum).(To be mentioned) Delevary Time: 15 Days (As per attached Specification)	০২ পিস	প্রতি পিস টাঃ Country of origin: Manufacturing country : Manufacturer: Year of manufacture: Type: Model: Brand/ Maker: Capacity: Delevary Time:	
৩।	Portable Electric Submersible Pump. Make/ Brand: To be mentioned. Model: To be mentioned. Country of Origin: USA/ UK/ Japan/ EU countries. Manufacturing Country: To be mentioned. Year of manufacture: 2021 or later. The item should be brand new and original. Operating Temperature: 0° - 45° C Capacity: Minimum 16 m ³ /hr at 9 meter head and 1.5 m ³ /hr at 26 meter head. Delevary Time: 15 Days (As per attached Specification)	০২ সেট	প্রতি সেট টাঃ Make/ Brand: Model: Country of origin: Manufacturing country : Year of manufacture: Operating Temperature: Capacity: Delevary Time:	

বিঃ দ্রঃ ১। দরপত্রে মালামালের করিগরী বিনির্দেশের **Compliance Statement** জমা দিতে হবে। অন্যথায় দরপত্র বাতিল বলে গন্য হতে পারে।

২। টেন্ডার খোলার সময় দরদাতার কোন মতামত/অভিযোগ থাকলে তা তাৎক্ষনিক টেন্ডার খোলার সময় টেন্ডার কমিটির নিকট উপস্থিত থেকে প্রকাশ করতে হবে। টেন্ডার খোলার পরবর্তীতে টেন্ডার সম্পর্কিত কোন অভিযোগ/মতামত গ্রহণযোগ্য হবে না।

টেন্ডার কমিটির স্বাক্ষর

বাণিজ্যিক শাখা

হিসাবরক্ষন বিভাগ

ব্যবহারকারী

আমরা অপর পৃষ্ঠায় সমস্ত শর্তাবলী মানিয়া নিলাম।

সরবরাহকারীর স্বাক্ষর

ভ্যাট নিবন্ধন নং-

এরিয়া কোড নং-

টি আই এন নং-

**Technical Specification of Electric Motor Driven Centrifugal Pump
for 2 X Self sustained pontoon (NB-780 & NB-781)**

1. Name of the equipment : Electric motor driven centrifugal pump.
2. Quantity : 04 (four) complete sets.
3. Purpose : a. 02 (two) in numbers pump will be used to lift sea water from sea suction to overhead tank and the offered pump will be suitable for sea water.
b. 02 (two) in numbers pump will be used to lift fresh water from reserve tank of pontoon to overhead tank.
4. Type of Pump : Centrifugal.
5. Model : CPm160B.
6. Brand/ Maker : Pedrollo.
7. Country of origin : Italy.
8. Manufacturing country : To be mentioned.
9. Year of manufacture : 2021 or later. The item should be brand new and original.
10. Capacity : Minimum 13 m³/hr at 23 meter head.
11. Suction lift : Minimum 05 meter.
12. Discharge diameter : 1".
13. Suction diameter : 1 1/2".
14. Power supply : 220V (±10% fluctuation), single phase, 50Hz.
15. On-off starter : Suitable on-off starter of good quality to be supplied.
16. Insulation class : F or better.
17. Protection : IP4 or better.
18. Sealing system : Mechanical seal or better means of sealing.
19. Priming : Self priming.
20. Operating pressure : To be mentioned.
21. Material of the components :
 - Casing : Cast Iron or better.
 - Impeller : Stainless steel.
 - Shaft : Stainless steel.
 - Mechanical seal : Graphite, ceramic and NBR or better.
22. RPM : To be mentioned.
23. Power : Minimum 2 HP.
24. Documents : 01 set of catalogue/ brochure in English will be provided with the offer and also during the supply of pump.
25. Test-trial : The buyer will carry out test-trial on load on board ship at Khulna Shipyard Limited in the presence of supplier's representative.
26. Warranty : Warranty for trouble free operation will be provided for all the supplied items for a period of at least 12 months from the date of successful test-trial of the pump.
27. Compliance statement : A complete & clear compliance statement in favor of supplied documents will be submitted with offer. An incomplete compliance statement may attribute to cancellation of the offer.

**Technical specification of Semi Rotary Hand Pump for 2 X Self sustained pontoon
(NB-780 & NB-781)**

1. Name of the equipment : Semi rotary hand pump.
2. Quantity : 02 (two) in numbers.
3. Purpose : The pump will be used for transferring fuel oil from reserve tank to service tank or shore of the pontoon.
4. Country of Origin and Manufacturing Country : To be mentioned.
5. Manufacturer : To be mentioned.
6. Year of manufacture : 2020 or later. The item should be brand new and original.
7. Document : Manual/ brochure to be provided with each pump. One copy of manual/ Catalogue to be supplied with the offer.
8. Technical requirements:
 - a. Type : Self priming double acting (marine type).
 - b. Model : To be mentioned.
 - c. Capacity : 20 liter/min (minimum). (To be mentioned.)
 - d. Pump head : 20 meter (minimum). (To be mentioned.)
 - e. Suction lift : 5 meter (minimum).
 - f. Suction diameter : To be mentioned.
 - g. Discharge diameter: Ø 1".
 - h. Body material : Cast iron/ Cast steel or better (To be mentioned).
 - i. Impeller material : Cast steel/ Brass or better (To be mentioned).
 - j. Mounting : Back plate lags.
9. Test-trial : The buyer will carry out test-trial on load on board ship at Khulna Shipyard Limited in the presence of supplier's presentative.
10. Warranty : Warranty for trouble free operation will be provided for all the supplied items for a period of at least 12 months from the date of successful test-trial of the pump.
11. Compliance statement : A complete & clear compliance statement in favor of supplied document will be submitted with offer. An incomplete compliance statement may attribute to cancellation of the offer.

**Technical Specification of Portable Electric Submersible Pump
for 2 X Self sustained pontoon (NB-780 & NB-781)**

1. Name of the Equipment : Portable Electric Submersible Pump.
2. Purpose : The pump will be used for draining bilge water, fuel oil, etc. from pontoon.
3. Quantity : 02 (two) complete set.
4. Make/ Brand : To be mentioned.
5. Model : To be mentioned.
6. Country of Origin : USA/ UK/ Japan/ EU countries.
7. Manufacturing Country : To be mentioned.
8. Year of manufacture : 2021 or later. The item should be brand new and original.
9. Operating Temperature : 0° - 45°C
10. Capacity : Minimum 16 m³/hr at 9 meter head and 1.5 m³/hr at 26 meter head.
11. Discharge port : Ø 1½" or suitable to meet the capacity of the pump.
12. Power supply : 220V AC, 50 Hz, Single Phase. The motor will have the tolerance of ±10% voltage fluctuation.
13. Power : 1.5 HP (minimum) as suitable with the pump capacity.
14. Motor RPM : To be mentioned.
15. Motor winding : Copper.
16. Duty cycle : Continuous duty.
17. Protection : X8, thermally protected.
18. Canvas hose and adaptor : Ø 2" (To be compatible with the size of discharge port of the pump), Length: 20 meter. Minimum 15 bar working pressure. Suitable hose and adaptor to be supplied.
19. Sealing System : Double Mechanical Seals or better means of sealing.
20. Materials of the Pump Components:
 - a. Upper Cover : Cast Iron or better
 - b. Suction filter and plate: Stainless steel AISI 304 or better.
 - c. Motor casing : SS AISI 304 or better.
 - d. Impeller : Techno-polymer, open type or better.
 - e. Motor shaft : Stainless steel AISI 304 or better.
21. Power cable length : Minimum 05 meter.
22. Overall Dimension : To be mentioned. (Compact size is preferable).
23. Overall Weight (With motor): The pump should be portable and easy to carry (less weight is preferable).
24. Accessories : All necessary fittings and standard accessories (such as connector, two pin plug, float switch, etc.) which are required for immediate operation of the portable electric submersible pump, but not mentioned in this specification are to be provided with the pump at the time of delivery. A list of accessories is to be submitted with the offer.
25. Standard tools : Standard tools that are necessary for day to day operation is to be provided with the pump (price included). A list of standard tools is to be submitted with the offer.
26. Operation/ maintenance manual : Operation and maintenance manuals/ catalogue, etc. to be provided in English during the supply of pump.
27. Catalogue : One set technical catalogue in English to be provided with the offer. Catalogue should contain pumps performance curve and other technical details necessary to evaluate the pump.
28. Test and trial : Test and trial will be carried out at KSY premises by the buyer at the presence of the supplier's representative.
29. Warranty : Minimum 01 (One) year after satisfactory test and trial.
30. Compliance statement : A compliance statement (in a tabular format) fulfilling all the requirement of the tender is to be submitted for evaluation of the quotations.